

RESULT NOTIFICATION

The Result of the Examinees who have appeared in - B.Tech(Biotechnology) I Semester MAIN Examination held in JANUARY-2024 is declared as under:

RESULT: B.Tech(Biotechnology) I Semester MAIN Examination

Institute: School of Research & Technology, Bhopal

S.No.	Enrollment No.	Name	Status	Result	Fail in Paper Code	SGPA
1	PU-001162311A8	DEVENDRA ILAYCHE	Regular	FAIL	CBTE-103 (T)	5.08
2	PU-002162311A8	ANKIT	Regular	FAIL	CBTE-102 (T), CBTE-103 (T), CBTE-110 (P)	4.33
3	PU-003162311A8	VINEET KUMAR SAHU	Regular	FAIL	CBTE-104 (T)	5.29
4	PU-004162311A8	ANUJ SHRIWAS	Regular	FAIL	CBBT-101 (T), CBTE-102 (T), CBTE-104 (T), CBTE-105 (T), CBTE-105 (P)	2.62
5	PU-005162311A8	RAJ NAMDEV	Regular	PASS	-	7.46
6	PU-006162311A8	PRATHAK SAXENA	Regular	FAIL	CBTE-102 (T), CBTE-103 (T), CBTE-104 (T), CBTE-105 (T)	3.12
7	PU-007162311A8	ANUKRATI KIRAR	Regular	PASS	-	6.75
8	PU-009162311A8	HEMRAJ PATIDAR	Regular	FAIL	CBTE-102 (T)	5.00
9	PU-010162311A8	SEJAL	Regular	PASS	-	7.42
10	PU-011162311A8	MEHAK BAIG	Regular	PASS	-	7.62
11	PU-012162311A8	YASHIKA MALVIYA	Regular	PASS	-	6.67
12	PU-013162311A8	YASH MISHRA	Regular	PASS	-	6.62
13	PU-015162311A8	MUKUL RAIKWAR	Regular	FAIL	CBBT-101 (T), CBTE-102 (T), CBTE-102 (P), CBTE-103 (T), CBTE-103 (P), CBTE-104 (T), CBTE-104 (P), CBTE-105 (T), CBTE-105 (P), CBTE-108 (P), CBTE-109 (P), CBTE-110 (P), CBTE-111 (P)	0.00
14	PU-016162311A8	KAJAL SINGH	Regular	PASS	-	6.88
15	PU-017162311A8	DEEPTI KUSHWAHA	Regular	PASS	-	6.83
16	PU-018162311A8	MD MOBARAK ANSARI	Regular	PASS	-	8.92
17	PU-019162311A8	AASHISH DANGI	Regular	FAIL	CBTE-102 (T), CBTE-103 (T), CBTE-105 (T), CBTE-105 (P)	3.62
18	PU-020162311A8	MOHINEE PATLE	Regular	PASS	-	6.75
19	PU-021162311A8	SAPNA LODHI	Regular	FAIL	CBTE-102 (T)	5.92
20	PU-022162311A8	IRAM KHAN	Regular	FAIL	CBTE-108 (P), CBTE-110 (P), CBTE-111 (P)	6.00
21	PU-023162311A8	SUHANI AHIRWAR	Regular	PASS	-	6.50
22	PU-024162311A8	NITIN TADAIYA	Regular	PASS	-	6.75
23	PU-025162311A8	ANKIT RATHORE	Regular	PASS	-	5.96
24	PU-026162311A8	PALAK DEVALIYA	Regular	PASS	-	6.75
25	PU-027162311A8	ROHIT SINGH	Regular	PASS	-	6.71
26	PU-028162311A8	YOGYATA YADAV	Regular	PASS	-	6.96
27	PU-029162311A8	KAJAL KUSHWAHA	Regular	PASS	-	6.58
28	PU-030162311A8	ARYA VYAS	Regular	PASS	-	7.33
29	PU-031162311A8	UMA SAHU	Regular	PASS	-	6.75
30	PU-032162311A8	RAJNI DUDWE	Regular	PASS	-	6.83
31	PU-033162311A8	SEETA BARELA	Regular	PASS	-	7.04
32	PU-034162311A8	NIKITA	Regular	FAIL	CBTE-103 (T)	5.54
33	PU-035162311A8	HEMRAJ DHAKAD	Regular	PASS	-	7.67

(Signature)
02-05-24

Assistant Registrar

(Signature)
02/05/24
Controller of Examinations

S.No.	Enrollment No.	Name	Status	Result	Fail in Paper Code	SGPA
34	PU-036162311A8	NISHA DHAKAD	Regular	PASS	-	7.17
35	PU-037162311A8	ARVIND LODHI	Regular	PASS	-	8.12
36	PU-038162311A8	AMAN KORI	Regular	PASS	-	7.62
37	PU-039162311A8	TANU	Regular	PASS	-	7.33
38	PU-040162311A8	PRIYA	Regular	PASS	-	7.08
39	PU-041162311A8	SHIV SHANKAR PRAJAPATI	Regular	FAIL	CBTE-102 (T), CBTE-104 (T)	4.42
40	PU-042162311A8	MOHAMMAD RIHAN KHAN	Regular	FAIL	CBBT-101 (T), CBTE-102 (T)	3.83
41	PU-043162311A8	SRASHTI LODHI	Regular	PASS	-	7.08
42	PU-044162311A8	TANUJ SAHARE	Regular	PASS	-	8.12
43	PU-045162311A8	DEEPAK CHOUHAN	Regular	FAIL	CBTE-102 (T)	5.58
44	PU-046162311A8	VIKAS SINGH	Regular	FAIL	CBTE-102 (T)	5.29
45	PU-047162311A8	UMAYMA ALAM	Regular	PASS	-	6.25
46	PU-048162311A8	PREM SHANKAR SINGH	Regular	PASS	-	7.88
47	PU-049162311A8	VIMAL	Regular	FAIL	CBBT-101 (T), CBTE-102 (T), CBTE-103 (T), CBTE-104 (T), CBTE-105 (T), CBTE-110 (P)	2.33
48	PU-050162311A8	SHRADDHA MISHRA	Regular	PASS	-	6.38
49	PU-051162311A8	SAUGANDH AHIRWAR	Regular	PASS	-	6.17
50	PU-052162311A8	KAJAL PANDEY	Regular	PASS	-	6.71
51	PU-053162311A8	CHANDAN KARELE	Regular	PASS	-	7.42
52	PU-054162311A8	MITALI PATLE	Regular	PASS	-	8.33
53	PU-055162311A8	PURNIMA UIKEY	Regular	PASS	-	7.50
54	PU-057162311A8	ATENDRA DEV VANSHKAR	Regular	FAIL	CBBT-101 (T), CBTE-103 (T)	4.37
55	PU-058162311A8	NANDINI	Regular	FAIL	CBTE-103 (T), CBTE-104 (T)	4.29
56	PU-059162311A8	ANKIT UIKEY	Regular	FAIL	CBBT-101 (T), CBTE-102 (T), CBTE-102 (P), CBTE-103 (T), CBTE-103 (P), CBTE-104 (T), CBTE-104 (P), CBTE-105 (P), CBTE-108 (P), CBTE-109 (P), CBTE-110 (P), CBTE-111 (P)	0.17
57	PU-060162311A8	KHIZAR	Regular	FAIL	CBBT-101 (T)	5.25
58	PU-061162311A8	MEHREEN SIDDIQUI	Regular	FAIL	CBBT-101 (T), CBTE-102 (T), CBTE-103 (T), CBTE-104 (T)	2.58
59	PU-062162311A8	ADITI SINGH	Regular	FAIL	CBTE-102 (T)	5.33
60	PU-063162311A8	SATYAM KUSHWAHA	Regular	FAIL	CBBT-101 (T), CBTE-102 (T), CBTE-103 (T)	3.58
61	PU-064162311A8	YAMINI PATLE	Regular	FAIL	CBTE-103 (T), CBTE-104 (T)	4.38
62	PU-065162311A8	PAYAL KUSHWAHA	Regular	PASS	-	8.67
63	PU-066162311A8	VIKASH RAJPUT	Regular	FAIL	CBTE-102 (T)	4.88
64	PU-067162311A8	NIKITA MANIKPURI	Regular	PASS	-	6.54
65	PU-068162311A8	ARSHI KHAN	Regular	PASS	-	6.25
66	PU-069162311A8	NITYANSH PATEL	Regular	FAIL	CBBT-101 (T), CBTE-102 (T), CBTE-103 (T), CBTE-104 (T)	2.79
67	PU-070162311A8	MASOOM BISEN	Regular	FAIL	CBTE-104 (T)	5.42
68	PU-071162311A8	DINESH KUMAR SHAH	Regular	FAIL	CBTE-103 (T)	5.21
69	PU-072162311A8	RASHMI SEN	Regular	PASS	-	6.46
70	PU-073162311A8	NANDNI MAINA	Regular	PASS	-	6.58
71	PU-074162311A8	MANISHA PAL	Regular	FAIL	CBTE-102 (T), CBTE-103 (T)	4.21
72	PU-075162311A8	ISHIKA SAHU	Regular	PASS	-	7.46
73	PU-077162311A8	SANDEEP DANGI	Regular	FAIL	CBTE-102 (T), CBTE-103 (T), CBTE-104 (T), CBTE-105 (P)	2.92
74	PU-078162311A8	MUSKAN MALI	Regular	PASS	-	6.12
75	PU-079162311A8	CHHAYA VERMA	Regular	PASS	-	6.67
76	PU-080162311A8	RIYA RAHANGDHLE	Regular	PASS	-	6.21
77	PU-081162311A8	PAYAL CHOUKSEY	Regular	PASS	-	6.71
78	PU-082162311A8	KASHISH MEHRA	Regular	FAIL	CBBT-101 (T)	5.54
79	PU-083162311A8	PALAK SHARMA	Regular	PASS	-	7.67
80	PU-084162311A8	KHUSHAL WAGHE	Regular	PASS	-	7.58
81	PU-085162311A8	KANAK GHARVE	Regular	PASS	-	5.92
82	PU-086162311A8	KARAN SAHU	Regular	PASS	-	6.58

Dns2m
02.05.24

Assistant Registrar

2/3

02/05/24
Controller of Examinations

S.No.	Enrollment No.	Name	Status	Result	Fail in Paper Code	SGPA
83	PU-087162311A8	SHIVAM LODHI	Regular	PASS	-	6.46
84	PU-088162311A8	AMIT AHIRWAR	Regular	FAIL	CBTE-104 (T), CBTE-108 (P), CBTE-110 (P), CBTE-111 (P)	4.38
85	PU-089162311A8	ROSHNI SAHU	Regular	FAIL	CBTE-105 (T)	6.25
86	PU-090162311A8	HUMERA	Regular	PASS	-	5.71
87	PU-091162311A8	RINKU LODHI	Regular	PASS	-	5.79
88	PU-092162311A8	KAMLA RAIKWAR	Regular	PASS	-	6.33
89	PU-094162311A8	MANISHA	Regular	PASS	-	6.42
90	PU-0951162311A8	SHIVANI	Regular	PASS	-	6.88
91	PU-096162311A8	ROSHNI AHIRWAR	Regular	PASS	-	6.38
92	PU-097162311A8	YUVRAJ	Regular	FAIL	CBTE-102 (T), CBTE-103 (T), CBTE-104 (T), CBTE-108 (P), CBTE-110 (P), CBTE-111 (P)	2.67
93	PU-098162311A8	ARIJIT KUMAR YADAV	Regular	PASS	-	7.00
94	PU-099162311A8	VISHAL AHIRWAR	Regular	FAIL	CBBT-101 (T), CBTE-102 (T), CBTE-104 (T)	3.38
95	PU-100162311A8	ARTI SAHU	Regular	PASS	-	6.75
96	PU-101162311A8	SATISH	Regular	PASS	-	6.67
97	PU-102162311A8	SWATI MALVIYA	Regular	PASS	-	6.58
98	PU-103162311A8	MONIKA	Regular	PASS	-	6.67
99	PU-104162311A8	ADARSH DADHORE	Regular	FAIL	CBBT-101 (T), CBTE-102 (T), CBTE-103 (T), CBTE-104 (T), CBTE-105 (T), CBTE-110 (P)	2.21


02-05-24

Assistant Registrar


2/8/24

Controller of Examinations